



Haringey

This profile was produced on 1 March 2016

Local Alcohol Profile

Introduction

Alcohol use has health and social consequences borne by individuals, their families, and the wider community. The aim of these profiles is to provide information for local government, health organisations, commissioners and other agencies to monitor the impact of alcohol on local communities, and to monitor the services and initiatives that have been put in place to prevent and reduce the harmful impact of alcohol.

Reducing harmful drinking is one of seven priority areas that Public Health England is focusing efforts on securing improvement. The indicators contained within the web-tool were selected following consultation with stakeholders and a review of the availability of routine data. The Local Alcohol Profiles for England (LAPE) are part of a series of products by Public Health England that provide local data alongside national comparisons to support local health improvement.

For further information about each indicator please view the definitions tab within the tool at <http://fingertips.phe.org.uk/profile/local-alcohol-profiles>. For further information on alcohol and health please visit <http://www.lape.org.uk>.

Spine Charts

Mortality	Page 2
Hospital Admissions	Page 2
Hospital Admissions - Cause groups	Page 3
Other Impacts	Page 4

Tartan Rugs

Mortality	Page 5
Hospital Admissions	Page 5
Hospital Admissions - Cause groups	Page 6
Other Impacts	Page 8

Bar Charts

Mortality	Page 9
Hospital Admissions	Page 11
Hospital Admissions - Cause groups	Page 13
Other Impacts	Page 16

Trends

Mortality	Page 17
Hospital Admissions	Page 19
Hospital Admissions - Cause groups	Page 21



Contains OS data © Crown copyright and database rights 2016
OpenStreetMap contributors ODbL

Produced by Public Health England.

For enquiries please contact KITNorthWest@phe.gov.uk or call us on 0151 231 4535.

Spine Charts

Mortality

	Period	Local value	Eng. value	Eng. worst	England Range	Eng. best
1	1.01 - Months of life lost due to alcohol (Male)	2012 - 14	11.5	12.0	5.7	26.5
2	1.01 - Months of life lost due to alcohol (Female)	2012 - 14	5.2	5.6	12.3	3.2
3	2.01 - Alcohol-specific mortality (Persons)	2012 - 14	9.5	11.6	26.9	3.3
4	2.01 - Alcohol-specific mortality (Male)	2012 - 14	13.8	16.1	36.8	3.5
5	2.01 - Alcohol-specific mortality (Female)	2012 - 14	5.5	7.4	24.0	1.6
6	3.01 - Mortality from chronic liver disease (Persons)	2012 - 14	10.5	11.5	27.4	6.1
7	3.01 - Mortality from chronic liver disease (Male)	2012 - 14	13.9	15.2	35.9	8.6
8	3.01 - Mortality from chronic liver disease (Female)	2012 - 14	- x	8.0	19.3	5.6
9	4.01 - Alcohol-related mortality (Persons)	2014	43.5	45.5	85.4	23.9
10	4.01 - Alcohol-related mortality (Male)	2014	62.5	65.4	127.0	34.0
11	4.01 - Alcohol-related mortality (Female)	2014	26.8	28.8	50.1	16.0


Hospital Admissions

	Period	Local value	Eng. value	Eng. worst	England Range	Eng. best
12	5.01 - Alcohol-specific hospital admission - under 18s	2011/12 - 13/14	26.3	40.1	105.8	11.2
13	6.01 - Alcohol-specific hospital admission (Persons)	2013/14	347	374	1074	131
14	6.01 - Alcohol-specific hospital admission (Male)	2013/14	535	515	1494	170
15	6.01 - Alcohol-specific hospital admission (Female)	2013/14	182	241	658	77
16	7.01 - Alcohol-related hospital admission (Broad) (Persons)	2013/14	1341	1253	2070	731
17	7.01 - Alcohol-related hospital admission (Broad) (Male)	2013/14	1885	1715	2820	1011
18	7.01 - Alcohol-related hospital admission (Broad) (Female)	2013/14	891	859	1386	498
19	8.01 - Alcohol-related hospital admission (Narrow) (Persons)	2013/14	417	444	808	264
20	8.01 - Alcohol-related hospital admission (Narrow) (Male)	2013/14	599	594	1049	338
21	8.01 - Alcohol-related hospital admission (Narrow) (Female)	2013/14	259	310	583	190
22	9.01 - Admission episodes for alcohol-related conditions (Broad) (Persons)	2013/14	2588	2111	3493	1115
23	9.01 - Admission episodes for alcohol-related conditions (Broad) (Male)	2013/14	3712	2917	4848	1582
24	9.01 - Admission episodes for alcohol-related conditions (Broad) (Female)	2013/14	1673	1426	2392	727
25	10.01 - Admission episodes for alcohol-related conditions (Narrow) (Persons)	2013/14	663	645	1231	366

Key

Significance compared to England average:

- Significantly worse
- Significance not tested
- Not significantly different
- ◆ Regional average
- Significantly better



Note: x - Value Missing

Hospital Admissions continued		Period	Local value	Eng. value	Eng. worst	England Range	Eng. best
26	10.01 - Admission episodes for alcohol-related conditions (Narrow) (Male)	2013/14	898	835	1538		474
27	10.01 - Admission episodes for alcohol-related conditions (Narrow) (Female)	2013/14	461	475	940		262


Hospital Admissions - Cause groups

	Period	Local value	Eng. value	Eng. worst	England Range	Eng. best
28	9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Persons)	2013/14	211.7	175.8	368.2	71.4
29	9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Male)	2013/14	189.2	177.0	438.9	63.7
30	9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Female)	2013/14	233.6	176.5	380.5	58.8
31	9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Persons)	2013/14	1437	1049	1706	550
32	9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Male)	2013/14	2102	1524	2575	842
33	9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Female)	2013/14	928	673	1129	307
34	9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Persons)	2013/14	461	394	1296	111
35	9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Male)	2013/14	771	579	1894	161
36	9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Female)	2013/14	189	218	706	63
37	9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Persons)	2013/14	111.4	105.3	245.6	18.7
38	9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Male)	2013/14	151.3	147.1	351.8	27.1
39	9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Female)	2013/14	75.6	65.8	272.9	16.9
40	10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Persons)	2013/14	177.1	150.7	359.9	49.8
41	10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Male)	2013/14	157.1	154.7	404.7	47.8
42	10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Female)	2013/14	197.4	149.3	352.3	39.3
43	10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Persons)	2013/14	157.7	141.8	223.9	96.6
44	10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Male)	2013/14	248.9	215.2	351.3	142.5
45	10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Female)	2013/14	77.4	74.2	107.5	49.9
46	10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Persons)	2013/14	85	87	222	17
47	10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Male)	2013/14	146	124	310	21

Key

Significance compared to England average:

- Significantly worse
- Not significantly different
- Significantly better
- Significance not tested
- ◆ Regional average



Haringey

Hospital Admissions - Cause groups continued		Period	Local value	Eng. value	Eng. worst	England Range	Eng. best
48	10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Female)	2013/14	31	52	152		10
49	10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Persons)	2013/14	23.3	58.6	254.1		11.1
50	10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Male)	2013/14	19.5	52.0	269.1		7.1
51	10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Female)	2013/14	27.2	65.4	239.1		10.1


Other Impacts

	Period	Local value	Eng. value	Eng. worst	England Range	Eng. best
52	11.01 - Claimants of benefits due to alcoholism	2014	108.9	131.0	528.3	15.7
53	Alcohol Related Road Traffic Accidents	2012 - 14	8.3	26.4	57.7	2.9

Key

Significance compared to England average:

- Significantly worse
- Not significantly different
- Significantly better
- Significance not tested
- ◆ Regional average



Tartan Rugs

Mortality

	Period	England	London	Bark & Dag	Barnet	Bexley	Brent	Bromley	Camden	C London	Croydon	Ealing	Enfield	Greenwich	Hackney	Ham & Fulh	Haringey	Harrow	Havering	Hillingdon	Hounslow	Islington	Kens & Chel	Kingston uT	Lambeth	Lewisham	Merton	Newham	Redbridge	Richmond	Southwark	Sutton	T Hamlets	Waltham For	Wandsworth	Westminster	
1	1.01 - Months of life lost due to alcohol (Male)	2012 - 14	12.0	10.0	11.1	7.6	9.0	10.4	9.4	10.2	7.7	9.3	11.2	8.3	11.3	11.6	11.8	11.5	7.3	9.0	10.8	10.4	11.7	8.5	8.3	12.7	11.0	9.6	9.5	8.1	8.4	11.9	10.0	12.8	10.3	10.4	11.2
2	1.01 - Months of life lost due to alcohol (Female)	2012 - 14	5.6	4.4	4.3	3.4	4.5	3.9	5.2	4.3	4.8	4.8	4.1	4.1	4.6	4.8	5.1	5.2	3.7	4.1	4.3	4.7	6.5	3.9	3.7	4.2	4.7	4.0	4.5	3.7	3.2	5.2	5.1	6.0	4.1	4.2	4.1
3	2.01 - Alcohol-specific mortality (Persons)	2012 - 14	11.6	9.0	7.9	5.6	6.5	8.6	9.8	8.8	0.0	8.0	11.6	8.1	10.7	9.1	11.9	9.5	5.5	6.9	12.0	12.7	13.1	7.7	8.4	12.4	9.9	9.0	7.5	5.6	10.8	12.7	10.9	11.0	5.5	8.2	10.8
4	2.01 - Alcohol-specific mortality (Male)	2012 - 14	16.1	13.5	13.7	9.4	8.1	14.0	12.8	13.7	0.0	11.2	17.9	11.0	16.1	14.0	17.1	13.8	8.0	10.0	19.2	19.3	16.2	10.2	14.3	21.6	15.7	14.2	10.5	8.3	16.0	18.8	16.3	14.8	8.0	12.4	18.0
5	2.01 - Alcohol-specific mortality (Female)	2012 - 14	7.4	4.8	2.7	2.1	5.1	3.4	7.1	4.1	0.0	5.2	5.4	5.4	5.6	4.5	7.3	5.5	3.1	4.2	5.0	6.3	10.0	5.3	3.0	4.0	4.7	4.6	4.4	2.9	5.8	7.4	5.9	7.1	3.1	4.6	3.6
6	3.01 - Mortality from chronic liver disease (Persons)	2012 - 14	11.5	10.0	11.8	7.4	7.6	10.3	10.0	9.9	- x	9.7	10.5	7.4	13.6	9.6	13.2	10.5	6.9	9.8	11.4	11.8	12.4	- x	9.4	12.9	13.2	8.2	9.4	7.3	11.7	13.4	11.0	14.0	10.8	7.4	10.7
7	3.01 - Mortality from chronic liver disease (Male)	2012 - 14	15.2	14.2	17.1	10.6	8.9	14.6	12.2	14.8	- x	13.4	17.5	10.0	20.6	15.0	19.0	13.9	8.6	13.2	17.7	14.9	15.5	- x	- x	21.4	21.0	12.3	12.1	10.5	17.5	18.7	16.0	17.5	14.7	10.6	15.2
8	3.01 - Mortality from chronic liver disease (Female)	2012 - 14	8.0	6.2	- x	- x	- x	- x	8.0	- x	- x	6.7	- x	- x	- x	- x	- x	- x	- x	6.7	- x	8.4	- x	- x	- x	- x	- x	- x	- x	- x	- x	- x	- x	- x	- x	- x	- x
9	4.01 - Alcohol-related mortality (Persons)	2014	45.5	39.0	45.1	29.1	35.3	40.3	39.8	36.6	21.7	39.1	38.5	34.1	44.4	43.9	35.4	43.5	31.1	37.4	44.6	34.6	46.8	32.6	36.5	47.0	44.5	41.9	38.2	34.7	29.3	48.7	46.4	57.1	40.6	37.3	33.8
10	4.01 - Alcohol-related mortality (Male)	2014	65.4	56.6	65.3	41.7	50.6	64.1	56.1	52.1	15.0	58.1	54.4	48.9	63.9	63.6	58.1	62.5	43.3	53.3	63.5	48.9	63.4	48.4	56.2	75.0	68.0	70.0	57.5	47.8	40.6	65.8	66.8	78.8	60.1	58.0	43.4
11	4.01 - Alcohol-related mortality (Female)	2014	28.8	24.3	27.4	19.6	23.1	19.6	26.9	23.7	25.9	22.7	23.9	22.0	28.6	26.0	18.5	26.8	21.3	25.1	29.0	23.4	31.7	18.7	20.5	22.8	25.7	19.7	21.9	23.9	20.1	34.6	30.1	37.2	23.4	22.2	24.7

Hospital Admissions

12	5.01 - Alcohol-specific hospital admission - under 18s	2011/12 - 13/14	40.1	26.6	20.4	23.1	15.9	16.8	25.9	40.9	- *	27.3	33.3	19.2	19.2	18.5	- *	26.3	17.5	20.7	41.9	33.3	35.7	30.9	31.6	23.9	22.2	32.4	16.7	20.8	27.1	13.9	49.3	44.9	38.3	35.7	28.4
13	6.01 - Alcohol-specific hospital admission (Persons)	2013/14	374	346	306	237	247	355	242	498	337	320	417	231	346	481	607	347	237	217	342	386	600	346	274	485	374	308	386	261	308	493	317	447	380	398	399
14	6.01 - Alcohol-specific hospital admission (Male)	2013/14	515	519	473	362	330	574	329	743	551	463	650	345	519	771	958	535	359	299	496	593	873	473	389	761	593	456	613	404	441	748	438	668	573	596	601
15	6.01 - Alcohol-specific hospital admission (Female)	2013/14	241	189	154	126	174	152	166	275	- *	195	197	130	187	213	312	182	124	143	197	197	352	234	169	238	183	177	169	131	191	261	207	231	205	229	208
16	7.01 - Alcohol-related hospital admission (Broad) (Persons)	2013/14	1253	1281	1498	1052	1073	1381	1025	1247	857	1265	1477	1214	1269	1450	1512	1341	1124	1130	1350	1380	1635	1009	1111	1560	1323	1186	1604	1291	986	1551	1209	1520	1462	1280	1126

Comparison with respect to England value



Note: * - Disclosure control applied, x - Value Missing

Haringey

Hospital Admissions continued

Period	England	London	Bark & Dag	Barnet	Bexley	Brent	Bromley	Camden	C London	Croydon	Ealing	Enfield	Greenwich	Hackney	Ham & Fulh	Haringey	Harrow	Havering	Hillingdon	Hounslow	Islington	Kens & Chel	Kingston uT	Lambeth	Lewisham	Merton	Newham	Redbridge	Richmond	Southwark	Sutton	T Hamlets	Waltham For	Wandsworth	Westminster
17 7.01 - Alcohol-related hospital admission (Broad) (Male)	2013/14 1715	1790	2079	1505	1469	1946	1413	1775	1203	1729	2081	1712	1753	2039	2225	1885	1551	1611	1842	1959	2247	1377	1574	2200	1837	1685	2212	1815	1438	2146	1670	2072	2009	1854	1565
18 7.01 - Alcohol-related hospital admission (Broad) (Female)	2013/14 859	858	1043	685	764	894	719	795	450	884	950	818	869	932	941	891	760	758	925	892	1113	697	732	1023	919	779	1078	857	623	1064	835	1024	1006	829	728
19 8.01 - Alcohol-related hospital admission (Narrow) (Persons)	2013/14 444	394	424	316	343	396	317	383	253	402	458	331	374	477	485	417	339	348	413	390	520	345	337	465	423	406	458	357	337	469	442	447	444	414	364
20 8.01 - Alcohol-related hospital admission (Narrow) (Male)	2013/14 594	549	610	438	465	567	421	532	326	549	641	468	528	693	682	599	457	483	558	542	719	458	458	681	606	583	646	505	471	651	582	621	634	575	505
21 8.01 - Alcohol-related hospital admission (Narrow) (Female)	2013/14 310	258	265	214	241	242	232	248	153	278	288	217	241	279	322	259	234	236	281	257	345	249	234	275	273	256	282	226	223	311	324	277	274	283	233
22 9.01 - Admission episodes for alcohol-related conditions (Broad) (Persons)	2013/14 2111	2179	2397	1839	1785	2419	1638	2359	2130	2100	2460	2277	2105	2609	2715	2588	1898	1763	2315	2259	3155	1631	1780	2697	2300	1889	2763	2043	1589	2650	1950	2582	2393	2091	1968
23 9.01 - Admission episodes for alcohol-related conditions (Broad) (Male)	2013/14 2917	3122	3455	2627	2499	3501	2235	3415	2995	2946	3558	3247	2901	3785	4145	3712	2624	2625	3260	3275	4537	2303	2598	3916	3284	2773	4005	2977	2364	3797	2803	3620	3351	3110	2812
24 9.01 - Admission episodes for alcohol-related conditions (Broad) (Female)	2013/14 1426	1398	1567	1208	1226	1487	1172	1465	1043	1409	1518	1504	1453	1574	1560	1673	1282	1101	1499	1416	1972	1061	1111	1673	1516	1166	1696	1268	966	1724	1263	1657	1602	1294	1194
25 10.01 - Admission episodes for alcohol-related conditions (Narrow) (Persons)	2013/14 645	541	547	470	488	562	441	589	487	527	563	572	532	655	657	663	487	438	558	476	801	433	447	626	606	537	604	469	451	601	571	570	575	558	522
26 10.01 - Admission episodes for alcohol-related conditions (Narrow) (Male)	2013/14 835	743	803	583	616	808	531	814	474	722	783	738	681	990	947	898	623	612	754	653	1088	586	604	914	880	766	875	668	620	842	774	803	828	771	748
27 10.01 - Admission episodes for alcohol-related conditions (Narrow) (Female)	2013/14 475	363	325	378	382	338	369	383	462	358	358	434	402	348	414	461	368	293	378	319	545	300	309	367	375	338	350	292	307	388	398	343	347	384	307

Hospital Admissions - Cause groups

28 9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Persons)	2013/14 175.8	132.8	97.9	153.8	185.5	137.3	159.5	194.2	300.4	87.7	112.5	233.0	229.1	91.1	149.5	211.7	138.2	91.6	108.5	114.6	226.9	104.4	95.7	132.0	128.1	129.2	77.1	72.9	98.0	111.3	101.0	104.0	114.0	110.9	117.7
29 9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Male)	2013/14 177.0	133.0	121.0	103.4	179.3	150.0	109.8	225.6	-*	86.8	121.8	219.8	219.0	107.4	192.9	189.2	116.6	104.3	124.2	127.8	228.6	133.8	108.0	133.5	119.8	148.1	84.4	63.7	106.4	109.6	105.4	117.0	123.8	111.7	138.5
30 9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Female)	2013/14 176.5	133.7	81.8	199.1	194.4	127.6	205.9	166.0	504.5	88.5	103.2	243.8	237.3	76.6	114.1	233.6	157.7	81.4	95.2	103.2	227.5	81.9	86.9	131.3	136.3	115.5	72.0	83.4	91.2	112.7	96.6	92.9	103.6	111.7	100.0

Comparison with respect to England value



Note: * - Disclosure control applied

Hospital Admissions - Cause groups continued

Period	England	London	Bark & Dag	Barnet	Bexley	Brent	Bromley	Camden	C London	Croydon	Ealing	Enfield	Greenwich	Hackney	Ham & Fulh	Haringey	Harrow	Havering	Hillingdon	Hounslow	Islington	Kens & Chel	Kingston uT	Lambeth	Lewisham	Merton	Newham	Redbridge	Richmond	Southwark	Sutton	T Hamlets	Waltham For	Wandsworth	Westminster		
31	9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Persons)	2013/14	1049	1208	1513	1055	1015	1403	913	1031	709	1207	1439	1419	1138	1325	1183	1437	1137	1088	1357	1280	1450	783	1038	1402	1251	1040	1654	1293	815	1404	1083	1391	1377	1059	922
32	9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Male)	2013/14	1524	1762	2182	1609	1531	1983	1351	1503	1064	1738	2103	2107	1643	1823	1764	2102	1638	1695	1941	1896	2079	1123	1600	2004	1750	1567	2374	1914	1314	1975	1649	1936	1913	1633	1329
33	9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Female)	2013/14	673	781	1029	631	626	943	582	672	365	798	909	892	754	913	754	928	727	650	883	806	948	502	600	941	897	637	1088	803	437	999	657	955	973	640	576
34	9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Persons)	2013/14	394	402	311	278	257	445	245	654	933	368	463	238	357	637	790	461	236	194	356	474	814	367	258	630	447	318	492	270	338	622	322	504	432	457	461
35	9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Male)	2013/14	579	631	502	449	360	741	361	1013	1567	556	721	379	535	1055	1324	771	373	284	537	730	1329	524	383	1032	731	499	838	434	478	997	473	790	688	716	674
36	9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Female)	2013/14	218	192	139	125	166	168	144	330	- *	199	219	114	193	252	333	189	108	113	183	239	347	224	144	264	193	153	159	121	212	280	185	225	198	234	247
37	9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Persons)	2013/14	105.3	104.2	101.4	61.8	77.7	90.0	66.2	144.4	- *	91.8	90.2	73.3	95.1	145.9	202.6	111.4	91.4	94.7	124.1	89.4	196.0	101.7	109.4	145.7	126.8	89.4	101.7	97.5	91.8	141.0	82.0	153.4	68.9	113.3	133.7
38	9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Male)	2013/14	147.1	157.6	160.5	85.2	108.6	147.5	91.4	215.6	- *	132.8	140.8	92.4	130.6	217.5	345.6	151.3	127.5	155.8	194.5	132.7	294.7	164.8	177.6	212.8	219.0	139.3	151.7	143.5	153.9	227.6	118.0	217.1	94.9	165.7	231.9
39	9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Female)	2013/14	65.8	55.1	45.2	40.5	50.6	34.5	44.9	76.3	0.0	55.6	42.2	56.0	63.4	79.4	80.7	75.6	57.7	39.3	56.6	48.7	103.7	50.2	46.7	83.4	44.0	44.1	54.4	54.3	35.4	65.3	49.3	85.4	44.6	67.8	39.3
40	10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Persons)	2013/14	150.7	103.0	74.1	130.6	136.5	117.9	114.9	145.5	196.1	64.4	83.0	219.7	152.7	68.5	100.6	177.7	128.1	72.5	88.8	78.0	195.9	75.8	76.9	83.3	104.7	100.5	58.6	49.8	75.0	69.2	71.8	73.2	72.8	93.3	95.1
41	10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Male)	2013/14	154.7	105.9	98.3	96.6	127.0	132.4	76.1	170.3	- *	68.4	94.5	212.3	133.2	87.8	128.1	157.1	106.4	88.1	98.2	85.6	215.0	93.9	93.5	88.6	105.4	113.3	73.6	47.8	80.4	73.3	80.4	86.3	83.0	107.9	125.8
42	10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Female)	2013/14	149.3	101.7	55.3	162.9	147.7	106.5	150.9	124.1	342.2	61.0	72.3	227.4	171.2	51.3	78.4	197.4	149.5	60.4	80.7	71.9	181.8	61.9	63.4	79.1	104.4	91.5	46.9	53.7	70.7	66.3	65.0	62.8	63.4	82.5	67.9
43	10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Persons)	2013/14	141.8	134.5	140.0	122.5	109.9	139.6	99.0	150.7	93.5	136.5	152.9	122.6	113.7	158.7	152.8	157.7	123.5	121.5	135.9	122.4	189.9	111.1	114.9	161.9	140.4	142.7	156.2	130.9	107.4	147.8	145.3	142.0	150.2	141.8	126.7
44	10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Male)	2013/14	215.2	207.3	222.1	188.8	169.7	210.8	150.0	233.0	119.2	207.4	236.5	192.9	177.5	242.6	242.4	248.9	186.1	196.5	199.9	190.0	292.1	162.2	176.0	254.3	223.9	222.8	237.8	203.4	167.2	229.2	221.6	212.2	232.8	225.1	187.1

Comparison with respect to England value

Better
Similar
Worse
Not compared

Note: * - Disclosure control applied

Haringey

Hospital Admissions - Cause groups continued

Period	England	London	Bark & Dag	Barnet	Bexley	Brent	Bromley	Camden	C London	Croydon	Ealing	Enfield	Greenwich	Hackney	Ham & Fulh	Haringey	Harrow	HaVering	Hillingdon	Hounslow	Islington	Kens & Chel	Kingston uT	Lambeth	Lewisham	Merton	Newham	Redbridge	Richmond	Southwark	Sutton	T Hamlets	Waltham For	Wandsworth	Westminster
45 10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Female)	2013/14 74.2	69.4	69.7	65.4	58.2	74.0	55.0	76.4	*	75.2	74.8	61.7	55.6	81.2	75.1	77.4	67.5	56.6	76.5	59.8	96.9	65.9	60.6	78.6	69.8	72.6	79.7	65.3	55.6	75.6	79.9	74.0	75.6	72.6	68.2
46 10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Persons)	2013/14 87	83	80	44	78	73	63	105	*	97	92	43	74	144	125	85	47	44	73	63	122	68	45	136	109	83	102	67	73	126	103	92	104	96	85
47 10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Male)	2013/14 124	123	125	65	104	112	87	144	*	148	134	62	102	233	181	146	69	64	104	91	194	99	62	209	174	134	160	106	96	197	144	139	160	126	126
48 10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Female)	2013/14 52	45	39	26	54	35	42	67	0	51	51	26	47	59	77	31	27	25	44	37	53	38	27	69	49	35	43	30	52	59	65	44	51	69	42
49 10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Persons)	2013/14 58.6	23.0	28.1	17.2	15.3	11.2	24.7	16.7	0.0	40.3	28.4	12.2	12.6	23.2	25.5	23.3	17.1	34.9	42.5	23.7	33.1	22.9	23.5	13.8	25.1	25.2	27.7	24.0	29.5	14.5	41.8	15.0	30.4	19.2	17.2
50 10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Male)	2013/14 52.0	20.7	34.1	15.8	14.8	9.4	23.9	12.9	0.0	35.5	26.3	14.8	10.0	36.4	14.8	19.5	14.3	27.3	37.5	16.6	20.3	13.8	14.3	16.8	27.5	21.1	32.0	27.9	29.3	7.1	32.4	14.5	35.9	10.2	18.0
51 10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Female)	2013/14 65.4	25.3	22.9	18.8	15.9	13.3	25.6	20.7	0.0	45.3	30.3	10.1	15.2	11.6	35.6	27.2	20.2	42.2	48.0	31.3	46.3	31.6	32.6	11.4	24.3	29.5	23.4	20.4	30.3	21.8	50.5	16.1	24.9	27.5	18.0

Other Impacts

52 11.01 - Claimants of benefits due to alcoholism	2014 131.0	117.1	74.7	67.9	75.7	121.6	77.1	222.2	180.5	125.7	118.3	63.9	130.7	185.6	170.8	108.9	51.7	54.3	91.9	102.3	194.1	140.3	54.3	194.8	172.8	95.9	63.5	48.9	73.9	175.2	104.9	155.6	78.6	124.3	173.0
53 Alcohol Related Road Traffic Accidents	2012 - 14 26.4	9.4	15.3	6.0	13.9	11.9	13.0	6.5	7.8	6.4	8.2	11.0	7.1	5.1	6.3	8.3	21.1	16.9	14.9	6.7	6.2	8.9	10.6	6.9	12.5	2.9	22.3	14.8	10.6	4.6	9.7	6.1	11.9	6.6	8.0

Comparison with respect to England value




Note: * - Disclosure control applied


Bar Charts

Mortality


1.01 - Months of life lost due to alcohol (Male)




1.01 - Months of life lost due to alcohol (Female)




2.01 - Alcohol-specific mortality (Persons)




2.01 - Alcohol-specific mortality (Male)




2.01 - Alcohol-specific mortality (Female)




3.01 - Mortality from chronic liver disease (Persons)




3.01 - Mortality from chronic liver disease (Male)




3.01 - Mortality from chronic liver disease (Female)



4.01 - Alcohol-related mortality (Persons)



4.01 - Alcohol-related mortality (Male)




Key London LAs: ■ Better ■ Similar ■ Worse ■ England value and confidence interval
 Other LAs: ■ Better ■ Similar ■ Worse

Haringey

Mortality continued


4.01 - Alcohol-related mortality (Female)




Key London LAs: ■ Better ■ Similar ■ Worse ■ England value and confidence interval
Other LAs: ■ Better ■ Similar ■ Worse

Hospital Admissions


5.01 - Alcohol-specific hospital admission - under 18s




6.01 - Alcohol-specific hospital admission (Persons)




6.01 - Alcohol-specific hospital admission (Male)




6.01 - Alcohol-specific hospital admission (Female)




7.01 - Alcohol-related hospital admission (Broad) (Persons)




7.01 - Alcohol-related hospital admission (Broad) (Male)




7.01 - Alcohol-related hospital admission (Broad) (Female)




8.01 - Alcohol-related hospital admission (Narrow) (Persons)



8.01 - Alcohol-related hospital admission (Narrow) (Male)



8.01 - Alcohol-related hospital admission (Narrow) (Female)




Key London LAs: ■ Better ■ Similar ■ Worse — England value and confidence interval
 Other LAs: ■ Better ■ Similar ■ Worse


Haringey

Hospital Admissions continued


9.01 - Admission episodes for alcohol-related conditions (Broad) (Persons)




9.01 - Admission episodes for alcohol-related conditions (Broad) (Male)




9.01 - Admission episodes for alcohol-related conditions (Broad) (Female)




10.01 - Admission episodes for alcohol-related conditions (Narrow) (Persons)



10.01 - Admission episodes for alcohol-related conditions (Narrow) (Male)




10.01 - Admission episodes for alcohol-related conditions (Narrow) (Female)




Key London LAs: ■ Better ■ Similar ■ Worse ■ England value and confidence interval
 Other LAs: ■ Better ■ Similar ■ Worse

Hospital Admissions - Cause groups


9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Persons)




9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Male)




9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Female)




9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Persons)




9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Male)




9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Female)




9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Persons)




9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Male)



9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Female)



9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Persons)




Key London LAs: ■ Better ■ Similar ■ Worse — England value and confidence interval
 Other LAs: + Better + Similar + Worse


Haringey

Hospital Admissions - Cause groups continued


9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Male)




9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Female)




10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Persons)




10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Male)




10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Female)




10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Persons)




10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Male)




10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Female)



10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Persons)




10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Male)




Key London LAs: ■ Better ■ Similar ■ Worse ■ England value and confidence interval
 Other LAs: ■ Better ■ Similar ■ Worse

Hospital Admissions - Cause groups continued


10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Female)




10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Persons)



10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Male)



10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Female)




Key London LAs: ■ Better ■ Similar ■ Worse ■ England value and confidence interval
 Other LAs: ■ Better ■ Similar ■ Worse


Haringey

Other Impacts

11.01 - Claimants of benefits due to alcoholism



Alcohol Related Road Traffic Accidents




Key London LAs: ■ Better ■ Similar ■ Worse ■ England value and confidence interval
 Other LAs: ■ Better ■ Similar ■ Worse


Trends

Mortality


1.01 - Months of life lost due to alcohol (Male)




1.01 - Months of life lost due to alcohol (Female)




2.01 - Alcohol-specific mortality (Persons)




2.01 - Alcohol-specific mortality (Male)




2.01 - Alcohol-specific mortality (Female)




3.01 - Mortality from chronic liver disease (Persons)




3.01 - Mortality from chronic liver disease (Male)




3.01 - Mortality from chronic liver disease (Female)



4.01 - Alcohol-related mortality (Persons)



4.01 - Alcohol-related mortality (Male)




Key ●●● England ● Significantly worse ● Not significantly different ● Significantly better ○ Significance not tested

Haringey


Mortality continued

4.01 - Alcohol-related mortality (Female)




Hospital Admissions


5.01 - Alcohol-specific hospital admission - under 18s




6.01 - Alcohol-specific hospital admission (Persons)




6.01 - Alcohol-specific hospital admission (Male)




6.01 - Alcohol-specific hospital admission (Female)




7.01 - Alcohol-related hospital admission (Broad) (Persons)




7.01 - Alcohol-related hospital admission (Broad) (Male)




7.01 - Alcohol-related hospital admission (Broad) (Female)




8.01 - Alcohol-related hospital admission (Narrow) (Persons)



8.01 - Alcohol-related hospital admission (Narrow) (Male)



8.01 - Alcohol-related hospital admission (Narrow) (Female)




Key ●●● England ● Significantly worse ● Not significantly different ● Significantly better ○ Significance not tested


Haringey

Hospital Admissions continued


9.01 - Admission episodes for alcohol-related conditions (Broad) (Persons)




9.01 - Admission episodes for alcohol-related conditions (Broad) (Male)




9.01 - Admission episodes for alcohol-related conditions (Broad) (Female)




10.01 - Admission episodes for alcohol-related conditions (Narrow) (Persons)



10.01 - Admission episodes for alcohol-related conditions (Narrow) (Male)




10.01 - Admission episodes for alcohol-related conditions (Narrow) (Female)




Hospital Admissions - Cause groups


9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Persons)




9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Male)




9.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Broad) (Female)




9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Persons)




9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Male)




9.03 - Admission episodes for alcohol-related cardiovascular disease conditions (Broad) (Female)




9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Persons)




9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Male)



9.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Broad) (Female)



9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Persons)




Key ●●● England ● Significantly worse ● Not significantly different ● Significantly better ○ Significance not tested


Haringey

Hospital Admissions - Cause groups continued


9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Male)




9.05 - Admission episodes for alcohol-related alcoholic liver disease condition (Broad) (Female)




10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Persons)




10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Male)




10.02 - Admission episodes for alcohol-related malignant neoplasm conditions (Narrow) (Female)




10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Persons)




10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Male)




10.03 - Admission episodes for alcohol-related unintentional injuries conditions (Narrow) (Female)



10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Persons)




10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Male)




Key ●●● England ● Significantly worse ○ Not significantly different ● Significantly better ○ Significance not tested

Hospital Admissions - Cause groups continued


10.04 - Admission episodes for alcohol-related mental and behavioural disorders due to use of alcohol condition (Narrow) (Female)



10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Persons)



10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Male)



10.05 - Admission episodes for alcohol-related intentional self-poisoning by and exposure to alcohol condition (Narrow) (Female)

