



Haringey

Clinical Commissioning Group

Severe Mental Illness Profile

This profile has been developed to support the Mental Health Intelligence Network's aim to improve the health of communities by making data and information accessible.

The Severe Mental Illness profile presents all CCG level indicators contained within the Severe Mental Health Profiling Tool: <http://fingertips.phe.org.uk/profile-group/mental-health/profile/severe-mental-illness> The tool provides commissioners, service providers, clinicians, services users and their families with the means to benchmark their area against similar populations and gain intelligence about what works.

Indicators are presented under the headings Risk and Related Factors, Prevalence, Services, Quality and Outcomes, and Finance.

Note: this profile presents CCG geography indicators only and therefore only shows part of the picture (in particular for Risk where many indicators are local authority based). To see all indicators please view the Severe Mental Illness Profiling Tool.

Risk and related factors


	Period	Local value	Eng. value	Eng. lowest	Range	Eng. highest
Socioeconomic deprivation: overall IMD score	2012	35.6	21.5	5.8		47.4
Number of people with learning disabilities known to GPs: % on register	2012/13	0.3	0.5	0.2		0.9

Prevalence

	Period	Local value	Eng. value	Eng. lowest	Range	Eng. highest
Psychotic disorder: Estimated % of people aged 16+	2012	0.51 ^	0.40	0.18		0.77
Number of people with SMI known to GPs: % on register	2012/13	1.28	0.84	0.48		1.46
Comparison of QoF and estimated prevalence: QoF register prevalence as a ratio of estimated prevalence	2012	2.53	2.02	1.32		3.76

- Significantly lower than England average
- Not significantly different from England average
- Significantly higher than England average
- Significance not calculated
- Regional average

Data quality: Robust Some concerns Significant concerns



Note: ^ - Value estimated

Services

		Period	Local value	Eng. value	Eng. lowest	Range	Eng. highest
Number of people with SMI known to GPs: % on register	■	2012/13	1.28	0.84	0.48		1.46
Comparison of QoF and estimated prevalence: QoF register prevalence as a ratio of estimated prevalence	■	2012	2.53	2.02	1.32		3.76
GP prescribing of drugs for psychoses and related disorders: Items (quarterly) per 1,000 population	■	2013/14 Q4	48.9	43.8	21.5		92.9
People in contact with services: Rate per 100,000 population (end of quarter snapshot)	■	2013/14 Q4	2269	2282	753		5326
People on Care Programme Approach: Rate per 100,000 population (end of quarter snapshot)	■	2013/14 Q4	768	544	4		1641
Service users on CPA: % people in contact with MH services who are on care programme approach (end of quarter snapshot)	■	2013/14 Q4	33.8	23.8	0.1		74.9
Use of mental health services by BME groups: % of people in contact with mental health services who are in black and minority ethnic groups	■	2012/13	34.0	8.6	0.3		55.2
New cases of psychosis served by Early Intervention teams: Rate (annual) per 100,000 population	■	2013/14	32.4	24.9	0.0		134.1
Rate of people being treated by Early Intervention teams: Rate per 100,000 population (end of quarter snapshot)	■	2013/14 Q4	90.2	39.1	0.0		151.6
Rate of people receiving assertive outreach services: Rate per 100,000 population (end of quarter snapshot)	■	2013/14 Q4	12.0	25.7	0.0		101.3
Contacts and daycare attendances: Rate (quarterly) per 100,000 population	■	2013/14 Q4	16599	12775	734		53361
Service users in hospital: % mental health service users who were inpatients in a psychiatric hospital (end of quarter snapshot)	■	2013/14 Q4	3.1	2.4	0.7		12.9
Mental health admissions to hospital: Rate (quarterly) per 100,000 population	■	2013/14 Q4	100.6	69.4	26.1		201.0
Mental health discharges from hospital: Rate (quarterly) per 100,000 population	■	2013/14 Q4	110.6	70.3	27.5		188.8
Attendances at A&E for a psychiatric disorder: Rate per 100,000 population	■	2012/13	44.0	243.5	3.0		925.5
People subject to Mental Health Act: Rate per 100,000 population (end of quarter snapshot)	■	2013/14 Q4	58.8	37.7	9.9		110.9
Admissions under Mental Health Act: % of (quarterly) admissions which were MHA detentions	■	2013/14 Q4	33.7	20.9	0.0		49.2
Detentions on admission to hospital: Rate (quarterly) per 100,000 population	■	2013/14 Q4	33.9	14.5	0.0		49.2
People detained under MHA during year: Rate per 100,000 population	■	2012/13	106.4	58.7	9.0		135.0
People subject to short-term orders under MHA during year: Rate per 100,000 population	■	2012/13	125.6	31.5	3.9		125.6
Repeat detentions under MHA during year: Average detentions per person	■	2012/13	1.15	1.16	1.02		1.52
Repeat short-term orders under MHA during year: Average orders per person	■	2012/13	1.84	1.26	1.00		2.02

Quality and outcomes

		Period	Local value	Eng. value	Eng. lowest	Range	Eng. highest
Patients with SMI who have comprehensive care plan: % with plan (patients receiving intervention)	■	2012/13	81.8	81.3	72.2		93.0
Patients on lithium therapy with record of serum creatinine and TSH: % with record in the preceding 9 months (patients receiving intervention)	■	2012/13	90.6	92.3	81.5		98.8
Patients on lithium therapy with levels in therapeutic range: % within preceding 4 months (patients receiving intervention)	■	2012/13	68.2	79.8	56.0		93.5
Exceptions from SMI checks: % of adults on SMI register exempt from checks	■	2012/13	12.0	15.5	10.1		23.7
Patients with SMI with alcohol consumption check: % with record in preceding 15 months (patients receiving intervention)	■	2012/13	84.7	82.0	71.8		89.2
Patients with SMI with BMI check: % with record in preceding 15 months (patients receiving intervention)	■	2012/13	84.5	81.1	73.1		87.4
Patients with SMI with blood pressure check: % with record in preceding 15 months (patients receiving intervention)	■	2012/13	85.6	84.9	77.3		90.8
Female patients with SMI who had cervical screening test: % tested in preceding 5 years (patients receiving intervention)	■	2012/13	72.4	72.5	61.1		82.6
Patients with SMI with cholesterol check: % with record in preceding 15 months (patients receiving intervention)	■	2012/13	43.8	42.4	32.2		49.8
Patients with SMI with blood glucose or HbA1c check: % with record in preceding 15 months (patients receiving intervention)	■	2012/13	64.7	66.3	55.9		74.4
Smokers on GP registers offered cessation advice or referral: % in previous 15 months	■	2011/12	94.5	92.9	89.2		96.5
Gate kept admissions: % (quarterly) admissions to acute wards that were gate kept by the CRHT teams	■	2013/14 Q4	96.4	98.3	82.6		100
Service users with crisis plans: % of people in contact with mental health services with a crisis plan in place (end of quarter snapshot)	■	2013/14 Q4	9.2	11.4	0.0		49.9
CPA review: % of people on CPA for more than 12 months who have had a review (end of quarter snapshot)	■	2013/14 Q4	92.6	82.9	27.0		98.9
CPA users with HoNOS assessment: % of people on CPA with HoNOS recorded (end of quarter snapshot)	■	2013/14 Q4	91.9	83.3	8.2		98.9
Delayed discharges: Days of delayed discharge in quarter as a rate per 1,000 bed days	■	2013/14 Q4	9.9	34.8	0.0		239.9
Follow up after discharge: % (quarterly) of patients on CPA who were followed up within 7 days after discharge from psychiatric inpatient care	■	2013/14 Q4	98.9	97.4	86.4		100
Recording of employment status: % of people in contact with mental health services with employment status recorded (end of quarter snapshot)	■	2013/14 Q4	43.2	34.5	0.9		81.8
CPA adults in employment: % of people aged 18-69 on CPA in employment (end of quarter snapshot)	■	2013/14 Q4	3.1	6.8	1.1		20.2
Recording of accommodation status: % of people in contact with mental health services with accommodation status recorded (end of quarter snapshot)	■	2013/14 Q4	42.9	38.2	2.8		89.6

NHS Haringey CCG

Quality and outcomes continued	Period	Local value	Eng. value	Eng. lowest	Range	Eng. highest
CPA adults in settled accommodation: % of people aged 18-69 on CPA in settled accommodation (end of quarter snapshot)	2013/14 Q4	63.8	59.4	6.1		92.7
Diagnosis coding: % of people in contact with mental health services with a diagnosis recorded (end of quarter snapshot)	2013/14 Q4	31.1	15.9	0.8		63.9
Patients assigned to PbR cluster: % of people in contact with mental health services assigned to a cluster (end of quarter snapshot)	2013/14 Q4	74.9	69.9	0.3		94.1

Finance

	Period	Local value	Eng. value	Eng. lowest	Range	Eng. highest
Specialist mental health services spend: rate (£000s) per 100,000 aged 18+ (mapped from PCT)	2012/13	33167	26756	14296		49755
% spend on specialist mental health services: % of all secondary care service spend categorised as mental health (mapped from PCT)	2012/13	14.9	11.9	8.1		19.1
Primary care prescribing spend on mental health: rate (£000s) per 100,000 aged 18+ (mapped from PCT)	2012/13	1791	2021	746		3933
Cost of GP prescribing for psychoses and related disorders: Net Ingredient Cost (£) per 1,000 population (quarterly)	2013/14 Q4	713	657	297		1469
Secondary Care spend on mental health: rate (£000s) per 100,000 aged 18+ (mapped from PCT)	2012/13	18848	12518	440		34267
Community care spend on mental health: rate (£000s) per 100,000 aged 18+ (mapped from PCT)	2012/13	1974	5094	0		19965
Spend on psychosis services: rate (£000s) per 100,000 population aged 18+ (mapped from PCT)	2012/13	3712	4789	458		15576
% spend on psychosis: % of all mental health spend categorised as psychosis (mapped from PCT)	2012/13	11.2	17.9	1.7		48.5
Primary care prescribing spend on psychosis: rate (£000s) per 100,000 aged 18+ (mapped from PCT)	2012/13	934	541	159		1388
Secondary Care spend on psychosis: rate (£000s) per 100,000 aged 18+ (mapped from PCT)	2012/13	1356	3051	0		13513

Psychosis Pathway

	Period	Local value	Eng. value	Eng. lowest	Range	Eng. highest
Psychotic disorder: Estimated % of people aged 16+	2012	0.51 ^	0.40	0.18		0.77
New cases of psychosis: Estimated incidence per 100,000 aged 16-64 (mapped from LA)	2011	49.6 ^	24.2	15.7		69.4
Duration of untreated psychosis: Median weeks (Emergent Psychosis Date - Psychosis Prescription Date)	2013/14	- x	4.0	0.0		97.0
New cases of psychosis served by Early Intervention teams: Rate (annual) per 100,000 population	2013/14	32.4	24.9	0.0		134.1
Access to psychological therapy: % of psychosis care spells receiving psychological therapy	2013/14	7.4	3.4	0.1		73.1

Note: ^ - Value estimated, x - Value Missing

NHS Haringey CCG

Psychosis Pathway continued	Period	Local value	Eng. value	Eng. lowest	Range	Eng. highest
GP prescribing of drugs for psychoses and related disorders: Items (quarterly) per 1,000 population	2013/14 Q3	46.9	44.5	21.3		95.4
Physical health checks for patients with SMI: Summary score (average of the 6 physical health check indicators)	2012/13	72.6	71.5	65.5		77.3
Service users on CPA: % people in contact with MH services who are on care programme approach (end of quarter snapshot)	2013/14 Q4	33.8	23.8	0.1		74.9
Mental health admissions to hospital: Rate (quarterly) per 100,000 population	2013/14 Q4	100.6	69.4	26.1		201.0
People subject to Mental Health Act: Rate per 100,000 population (end of quarter snapshot)	2013/14 Q4	58.8	37.7	9.9		110.9
HoNOS change measured: % of psychosis cluster episodes that ended in the reporting period with a HoNOS assessment at start and end	2014/15 Q1	50.0	37.9	0.0		100
Delayed discharges: Days of delayed discharge in quarter as a rate per 1,000 bed days	2013/14 Q4	9.9	34.8	0.0		239.9
Social care mental health clients in residential care or receiving home care aged 18-64: Rate per 100,000 population (mapped from local authority)	2012/13	38.4	80.2	11.3		415.4
CPA adults in employment: % of people aged 18-69 on CPA in employment (end of quarter snapshot)	2013/14 Q4	3.1	6.8	1.1		20.2
Excess under 75 mortality in adults with serious mental illness: Standardised mortality ratio (mapped from local authority)	2011/12	302.4	337.2	124.7		508.8
Spend on psychosis services: rate (£000s) per 100,000 population aged 18+ (mapped from PCT)	2012/13	3712	4789	458		15576

Indicators included in spine-charts are drawn from a range of sources, are based on differing populations and are presented for a number of time periods. Detail relating to each indicator is included within the tool under 'definitions'.

<http://fingertips.phe.org.uk/profile-group/mental-health/profile/severe-mental-illness>